


ENVIRONMENTAL PRODUCT DECLARATION



In accordance with ISO14025 and EN 15804:2012+A2:2019/AC:2021 for AYGIPS Cornice Plaster-Plaster of Paris (POP)

Manufactured by AYTAŞ Alçı Enerji Maden ve İnş. San.Tic. A.Ş.

Programme: The International EPD® System Programme Operator: EPD International AB Local Operator: EPD Türkiye S-P Code: S-P-08743 Publication Date: 2023-10-15 Validity Date: 2028-10-14 Geographical Scope: Türkiye

An EPD should provide current information and may be updated if conditions change. The stated validity is therefore subject to the continued registration and publication at www environdec.com.















GENERAL INFORMATION

The International EPD[®] System EPD International AB Box 210 60 SE-100 31 Stockholm, Sweden EPD Türkiye www.epdturkey.org info@epdturkey.org managed and run by SÜRATAM www.suratam.org Nef 09 B Blok No:7/15 34415 Kagıthane/Istanbul, Türkiye

ISO standard ISO 21930 and CEN standard EN 15804 serves as the core Product Category Rules (PCR) Product Category Rules (PCR): 2019:14 Version 1.2.5, Construction Products and Construction Services, EN 15804:2012+A2:2019/AC:2021 for Sustainability of Construction Works

PCR review was conducted by: The Technical Committee of the International EPD[®] System. Review chair: Claudia A. Peña, University of Concepción, Chile. The review panel may be contacted via the Secretariat www.environdec.com/contact.

Independent third-party verification of the declaration and data, according to ISO 14025:2006, via: EPD verification by individual verifier Third party verifier: Prof. Ing. Vladimír Kočí, Ph.D., MBA LCA Studio Šárecká 5,16000 Prague 6 - Czech Republic Approved by: The International EPD[®] System

Procedure for follow-up of data during EPD validity involves third party verifier:

Yes No 🗸

Life Cycle Assessment (LCA)

LCA accountability: Metsims Sustainability Consulting

The EPD owner has the sole ownership, liability, and responsibility for the EPD. EPDs within the same product category but registered in different EPD programmes may not be comparable. For two EPDs to be comparable, they must be based on the same PCR (including the same version number) or be based on fully-aligned PCRs or versions of PCRs; cover products with identical functions, technical performances and use (e.g. identical declared/functional units); have equivalent system boundaries and descriptions of data; apply equivalent data quality requirements, methods of data collection, and allocation methods; apply identical cut-off rules and impact assessment methods (including the same version of characterisation factors); have equivalent content declarations; and be valid at the time of comparison.

ABOUT THE AYTAŞ ALÇI



AYTAŞ Alçı A.Ş. was established in 2007 in Ankara, Bala, wherein the highest quality gypsum stratum is located. Two production plants, namely AYGIPS and AYPAN are located on an overall of open area of 100.000 square meters and closed area of 22.000 square meters. AYGIPS powder gypsum production plant was activated on February, 2008. AYGIPS plant has a capacity of 2200 tones powder gypsum per day. AYPAN production plant was activated on May 2009 and its annual capacity is 25.000.000 square meter plasterboard. AYTAŞ Alçı is acting with the vision to make AYGIPS, AYPAN, AYSIST and OUTWEAR brands most wanted in international market, and to be able to answer constantly changing consumer needs, and to create a respectful brand, which continuously improves in order to comply with rapidly and continuously changing environmental conditions as well as contributes to the widening of usage area of gypsum-based construction materials.

AYTAŞ Alçı is increasing its being well-known not only within Turkey but also in surrounding countries. An overall of 25 countries, such as United Kingdom, Spain, Nigeria, Ukraine, Azerbaijan, Belgium, Bulgaria, Armenia, Georgia, Cyprus, Macedonia, Malta, Sudan, Syria, Rusia, Turkmenistan, Jordan, Afghanistan, and Greece, are among the countries, where AYGIPS, AYPAN, OUTWEAR and AYSIST branded products are exported to.

ABOUT THE PRODUCT

It is applied on internal spaces for plasterboard, curtain, light band, molding and decorative aimed applications.


- It has high strength.
- It is ideal for internal space detail works. It can be formatted easily.
- It is easily mixable. It forms a smooth surface while pouring due to its fine particle structure.
- Length of process period allows easy application with no loss.
- As post application dried surface is as bright as glass, it enables direct wallpaper or paint application.
- As it is easy to apply, it saves time and labor.

Technical Specification						
Reference Standart	TS EN 13279					
Standart Type	C1-Fiber Strengthed Construction Gypsum for Gypsum Products					
Specifi	cations					
Physical Form	White Powder					
Water-Plaster Ratio	7 It water to 10 kg plaster					
Setting Time Starts (min)	> 8					
Final Setting Time (min)	20-25					
Flexural Strength (N/mm ²)	> 2.0 (4×4×16 block)					
Compressive Strength (N/mm ²)	> 2.5 (4×4×16 block)					
Dry Density (kg/m³)	680-700					
Fire Class	A1 According to TS EN 13279-1					



The product UN CPC code is 37410 according to Central Product Classification (CPC) Version 2.1.

SYSTEM BOUNDARIES & DESCRIPTION



A1 - RAW MATERIAL SUPPLY

Production starts with raw materials mainly locally sourced, but some transported from other parts of the world. 'Raw material supply' includes raw material extraction and pre-treatment processes before production.

A2 - TRANSPORT

Transport information of the raw materials are provided by the manufacturer. The distances and routes are calculated accordingly.

Transport Mode	Туре
Road	Vehicle: Lorry Size Class: >32 metric ton Emission Standard: EURO5 Fuel Type: Diesel
Sea	Vehicle: Container Ship DWT (Load Capacity): 43000 tonnes Fuel Type: Heavy Fuel Oil

A3 - MANUFACTURING

Gypsum extracted from the gypsum quarry is first crushed in crusher to have smaller particle sizes. Then it is calcined in the kilns and transferred to the gypsum hemi-hydrate silos. Then gypsum hemi hemi-hydrate, filling and additive materials are fed to mixer. The quantities are determined according to the product features. After a homogenous mixture is achieved, it is transferred to packaging stations.

Production processes are given below, respectively.

- Crushing
- Calcination
- Mixing
- Packaging

A4 - TRANSPORT

Transport of final product to customers are considered and the routes and distances are calculated accordingly. Transport routes were provided by the manufacturer for 2022.

Transport Mode	Туре
Road	Vehicle: Lorry Size Class: >32 metric ton Emission Standard: EURO5 Fuel Type: Diesel
Sea	Vehicle: Container Ship DWT (Load Capacity): 43000 tonnes Fuel Type: Heavy Fuel Oil

A5 - INSTALLATION

For the installation 1 kg of AYGIPS Cornice Plaster-Plaster of Paris (POP), it only needs to be mixed with 0.7 L water. Assuming that a 4000W mixer works for 3 minutes for one kilogram of plaster, it is estimated that 0.2 kWh of energy is used in one kilogram of plaster application.

Parameter	Value
Water	0.7 kg
Electricity	0.2 kWh

C1 - DECONSTRUCTION / DEMOLITION

There is no energy use during uninstallation, manpower and some tools are sufficient.

C2 - WASTE TRANSPORT

This step includes the transport of materials after they reach their end-of-life. The average distance was assumed 50 km by truck from demolition site to a waste or recycling area.

Vehicle Type	Value
Vehicle Type	Vehicle: Lorry Size Class: 7.5-16 metric ton Emission Standard: EURO5 Fuel Type: Diesel
Distance	50 km (assumption)

C3 - WASTE PROCESSING

The product is considered to be landfilled without reuse, recovery or recycling. It is classified as 'nonhazardous waste' in the European list of waste products. The effects of any treatment process to the demolished waste is included in this stage. It is assumed that no treatment is needed as 100 % of the material goes to a landfill.

C4 – DISPOSAL STAGE

All plasters end up at construction and demolition waste landfills as their final fate and modelled as such in the LCA.

D - BENEFITS

No potential benefits of recycling and re-use were taken into account in the current LCA report. Only the benefit due to the recycling of the packaging has been calculated.



LCA Information

Declared Unit: 1 kg of AYGIPS Cornice Plaster-Plaster of Paris (POP)

Time Representativeness: 2022

Database(s) and LCA Software: Ecoinvent 3.9.1 and SimaPro 9.5

System Boundaries: Cradle to grave. The results of the LCA with the indicators as per EPD requirement are given in the following tables for product manufacture (A1, A2, A3), construction process stage (A4, A5), end of life stage (C1, C2, C3, C4) and benefits and load stage (D).

	1	Product Stage Stage				Use Stage						End of LifeStage				Benefits and Loads	
	Raw Material Supply	Transport	Manufacturing	Transport	Construction Installationuring	Use	Maintenance	Repair	Replacement	Refurbishment	Operational Energy Use	Operational Water Use	De-construction demolition	Transport	Waste processing	Disposal	Reuse - Recovery - Recycling- potential
Module	A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Modules Declared	х	x	х	x	х	ND	ND	ND	ND	ND	ND	ND	х	x	x	x	x
Geography	GLO	GLO	TR	GLO	GLO	-	-	-	-	-	-	-	GLO	GLO	GLO	GLO	GLO
Specific Data Used	>90%				-	-	-	-	-	-	-	-	-	-	-	-	
Variation – Products	0%					-	-	-	-	-	-	-	-	-	-	-	-
Variation – Sites			0%			-	-	-	-	-	-	-	-	-	-	-	

(X = Module included, ND = Not declared)

The inventory for the LCA study is based on the 2022 production figures. This EPD's system boundary is cradle to grave.

Allocations

Water consumption, energy consumption and raw material transportation were weighted according to 2022 production figures. In addition, hazardous and non-hazardous waste amounts were also allocated from the 2022 total waste generation.

Cut-Off Criteria

1% cut-off is applied. Data for elementary flows to and from the product system contributing to a minimum of 99% of the declared environmental impacts have been included.

REACH Regulation

No substances included in the Candidate List of Substances of Very High Concern for authorization under the REACH regulations are present in this product either above the threshold for registration with the European Chemicals Agency or above 0.1% (wt/wt).

LCA Modelling, Calculation and Data Quality

The results of the LCA with the indicators as per EPD requirement are given in the LCA result tables. All energy calculations were obtained using Cumulative Energy Demand (LHV) methodology, while fresh water use is calculated with selected inventory flows in SimaPro according to the PCR. There are no co-product allocations within the LCA study underlying this EPD. The regional energy datasets were used for all energy calculations. Data quality assessment is given below table.

LCA Stages	Data Type
Raw Material Supply	Generic database, plant spesific data
Raw Material Transport	Generic database, plant spesific data
Manufacturing	Generic database, plant spesific data
Product Transport	Generic database, generic data
Demolition	Generic database, scenario and generic data
Waste Transport	Generic database, scenario and generic data
Waste Processing	-
Disposal	Generic database, scenario and generic data
Benefits and Loads	Generic database, scenario and generic data

Content Declarations

Product Composition

Materials Used in the Production of 1 kg AYGIPS Cornice Plaster-Plaster of Paris (POP)

Product Composition (% in mass)						
Calcium Sulfate	95-100 %					
Additives	0-5%					

Packaging

2.2 grams polypropylene bag is used for 1 kg product packaging.

LCA Results

Information on biogenic carbon content according to EN 1580	94+A2	
Biogenic Carbon Content	Unit	Quantity
Biogenic carbon content in product	kg C	2.2E-04
Biogenic carbon content in packaging	kg C	3.40E-05

Environmental Impact Category Indicators According to EN 15804 for AYGIPS Cornice Plaster-Plaster of Paris (POP)

IMPACT CATEGORY	UNIT	A1-A3	A4	A5	C1	C2	C3	C4	D
WP - Fossil	kg CO ₂ eq	0.093	0.155	0.117	0.059	0.012	0	0.006	-0.003
WP - Biogenic	kg CO ₂ eq	-0.001	6.11E-05	0.002	0.001	3.09E-05	0	1.37E-05	5.47E-05
WP - Luluc	kg CO ₂ eq	1.83E-04	9.89E-05	0.001	0.001	5.41E-06	0	3.73E-06	-1.74E-06
WP – Total	kg CO ₂ eq	0.093	0.155	0.121	0.060	0.012	0	0.006	-0.003
	kg CFC-11 eq	2.92E-09	2.33E-09	7.72E-10	3.83E-10	2.55E-10	0	1.76E-10	-1.56E-11
P	mol H+ eq	2.96E-04	2.72E-03	0.001	4.14E-04	3.65E-05	0	4.58E-05	-1.01E-05
P – Freshwater	kg P eq	1.93E-05	8.36E-06	1.33E-04	6.64E-05	8.08E-07	0	5.06E-07	-4.90E-07
P – Marine	kg N eq	8.10E-05	7.01E-04	1.39E-04	6.93E-05	1.25E-05	0	1.76E-05	-1.89E-06
P – Terrestrial	mol N eq	9.00E-04	7.72E-03	1.25E-03	6.23E-04	1.32E-04	0	1.88E-04	-1.94E-05
OCP	kg NMVOC	3.13E-04	2.20E-03	3.65E-04	1.82E-04	5.47E-05	0	6.56E-05	-8.56E-06
DPE	kg Sb eq	1.44E-07	2.66E-07	1.25E-07	6.20E-08	3.74E-08	0	8.44E-09	-1.01E-08
DPF	M	1.35	2.02	1.21	0.604	0.165	0	0.151	-0.087
VDP	m³ depriv.	0.02	0.008	0.094	0.032	0.001	0	0.007	-0.002
M	disease inc.	3.17E-09	7.71E-09	3.66E-09	1.82E-09	6.52E-10	0	9.76E-10	-9.97E-11
R	kBg U-235 eg	0.001	0.001	0.001	4.77E-04	2.67E-04	0	9.59E-05	-2.05E-04
TP – FW	CTUe	0.275	1.12	0.152	0.075	0.089	0	0.074	-0.003
ITTP – C	CTUh	2.24E-11	6.57E-11	2.57E-11	1.24E-11	4.91E-12	0	2.59E-12	-7.95E-13
ITTP - NC	CTUh	6.61E-10	1.46E-09	1.09E-09	5.39E-10	1.44E-10	0	7.34E-11	-1.91E-11
QP	Pt	0.209	1.088	0.120	0.059	0.085	0	0.301	-0.011
Acronyms	transformation, 0 marine, EP-terres resources, WDP:	DDP: Ozone laye trial: Eutrophication Water scarcity, I	er depletion, AP: A on terrestrial, POC PM: Respiratory in	Acidification terres P: Photochemical norganics - particu	trial and freshwater, oxidation, ADPE: A	, EP-freshwater: Eutro biotic depletion - ele ing radiation, ETP-FV	phication fresh ments, ADPF: /	Mate change - land use water, EP-marine: Eutrc Abiotic depletion - foss freshwater, HTP-c: Can	phication il
Legend		al Supply, A2: Tr nd the System Bo		ufacturing, C1: De	e-Construction, C2: V	Waste Transport, C3	: Waste Proce	ssing, C4: Disposal, D	: Benefits
Disclaimer 1	due to possible	nuclear accidents	, occupational ex	posure nor due to		disposal in undergrou		uel cycle. It does not c Potential ionizing radia	
Disclaimer 2	The results of thi indicator.	s environmental i	mpact indicator s	hall be used with a	care as the uncertain	nties on these results	are high or as	there is limited experi	enced with the

Additional Mandatory and Voluntary Impact Category Indicators for AYGIPS Cornice Plaster-Plaster of Paris (POP)

Climate impact										
INDICATOR UNIT A1-A3 A4 A5 C1 C2 C3 C4 D									D	
*GHG-GWP	kg CO2 eq	0.091	0.152	0.118	0.059	0.012	0	0.006	-0.003	

GHGGWP = Global Warming Potential total excl. biogenic carbon following IPCC AR5 methodology * The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013

LEGEND = A1: Raw Material Supply, A2: Transport, A3: Manufacturing, A4: Transport, A5: Construction, C1: Deconstruction / demolition, C2: Transport, C3: Waste Processing, C4: Disposal, D: Benefits and Loads Beyond the System Boundary

Resource Use Indicators for AYGIPS Cornice Plaster-Plaster of Paris (POP)


				Reso	ource use						
IMPACT CATEGORY	UNIT	A1-A3	A4	A5	C1	C2	C3	C4	D		
PERE	M	0.077	0.020	0.401	0.200	0.003	0	0.001	-0.003		
PERM	M	0	0	0	0	0	0	0	0		
PERT	M	0.077	0.020	0.401	0.200	0.003	0	0.001	-0.003		
PENRE	M	1.35	2.02	1.21	0.200	0.165	0	0.151	-0.087		
PENRM	MJ	0	0	0	0	0	0	0	0		
PENRT	MJ	1.35	2.02	1.21	0.200	0.165	0	0.151	-0.087		
SM	kg	0	0	0	0	0	0	0	0		
RSF	MJ	0	0	0	0	0	0	0	0		
NRSF	MJ	0	0	0	0	0	0	0	0		
FW	m ³	3.45E-04	2.94E-04	1.31E-03	2.44E-04	2.58E-05	0	1.61E-04	-7.55E-06		
Acronyms	m³ 3.45E-04 2.94E-04 1.31E-03 2.44E-04 2.58E-05 0 1.61E-04 -7.55E-06 PERE: Use of renewable primary energy excluding resources used as raw materials, PERM: Use of renewable primary energy resources used as raw materials, PERT: Total use of renewable primary energy, PENRE: Use of non-renewable primary energy excluding resources used as raw materials, PERT: Total use of renewable primary energy, PENRE: Use of non-renewable primary energy, SM: Secondary material, RSF: Renewable secondary fuels, FW: Net use of fresh water. NRSF: Non-renewable secondary fuels, FW: Net use of fresh water.										

Output Flow Indicators for AYGIPS Cornice Plaster-Plaster of Paris (POP)

Waste & Output Flows									
IMPACT CATEGORY	UNIT	A1-A3	A4	A5	C1	C2	C3	C4	D
HWD	kg	2.67E-06	0	0	0	0	0	0	0
NHWD	kg	3.39E-07	0	0	0	0	0	0	0
RWD	kg	0	0	0	0	0	0	0	0
CRU	kg	0	0	0	0	0	0	0	0
MFR	kg	0	0	0	0	0	0	0	0
MER	kg	0	0	0	0	0	0	0	0
EE (Electrical)	MJ	0	0	0	0	0	0	0	0
EE (Thermal)	M	0	0	0	0	0	0	0	0
Acronyms	HWD: Hazardous waste disposed, NHWD: Non-hazardous waste disposed, RWD: Radioactive waste disposed, CRU: Components for reuse, MFR: Material for recycling, MER: Materials for energy recovery, EE (Electrical): Exported energy electrical, EE (Thermal): Exported energy, Thermal.								

Interpretation

It is seen that the biggest impact on the global warming potential comes from the A4 product transport stage. This is because the product is usually sold abroad. Then the A5 installation phase is the second hot spot, mainly because a mixer is used to mix the plaster and water. The third biggest impact comes from the raw material and manufacturing stage.



GWP Distribution of LCA Stages

References

GPI/ General Programme Instructions of the International EPD[®] System. Version 4.0. EN ISO 9001/ Quality Management Systems - Requirements EN ISO 14001/ Environmental Management Systems - Requirements

EN ISO 50001/ Energy Management Systems - Requirements ISO 14020:2000/ Environmental Labels and Declarations - General principles

EN 15804:2012+A2:2019/ Sustainability of construction works - Environmental Product Declarations - Core rules for the product category of construction products

ISO 14025/ DIN EN ISO 14025:2009-11: Environmental labels and declarations - Type III environmental declarations - Principles and procedures

ISO 14040/44/ DIN EN ISO 14040:2006-10, Environmental management - Life cycle assessment -Principles and framework (ISO14040:2006) and Requirements and guidelines (ISO 14044:2006) PCR 2019:14 Construction products (EN 15804:A2) (1.2.5) prepared by IVL Swedish Environmental Research Institute, EPD International Secretariat, date 2022-11-01.

The International EPD[®] System/ The International EPD[®] System is a programme for type III environmental declarations, maintaining a system to verify and register EPD[®]s as well as keeping a library of EPD[®]s and PCRs in accordance with ISO 14025. www.environdec.com

Ecoinvent / Ecoinvent Centre, www.ecoinvent.org

SimaPro / SimaPro LCA Software, Pré Consultants, the Netherlands, www.pre-sustainability.com

Metsims / www.metsims.com

AYTAŞ Alçı / https://www.aygips.com.tr/en

Contact Information

Programme

The International EPD® System www.environdec.com

EPD International AB

Box 210 60 SE-100 31 Stockholm, Sweden

www.environdec.com info@environdec.com



EPD registered through fully aligned regional programme: EPD Turkey www.epdturkey.org info@epdturkey.org

SÜRATAM A.Ş. Nef 09 B Blok No:7/15, 34415 Kağıthane / İstanbul, TÜRKİYE www.suratam.org



THE INTERNATIONAL EPD® SYSTEM

Owner of the declaration

Programme operator



AYTAŞ ALÇI ENERJİ MADEN VE İNŞ. SAN.TİC. A.Ş. Cevizlidere No:5/A Balgat / Ankara www.aygips.com.tr

LCA practitioner and EPD Design



Metsims Sustainability Consulting

Türkiye: Nef 09 B Blok NO:7/46-47 34415 Kagithane/Istanbul, TÜRKIYE +90 212 281 13 33



Prof. Ing. Vladimír Kočí, Ph.D., MBA

The United Kingdom: 4 Clear Water Place Oxford OX2 7NL, UK 0 800 722 0185

www.metsims.com info@metims.com

Šárecká 5,16000 Prague 6 - Czech Republic www.lca.cz

3rd party verifier











